



VALUE BUILT WITH QUALITY

built on **quality**
moving ahead with **value**



ABOUT GP PIPE

Pre Galvanized pipes are manufactured from a coil that has undergone the galvanization process.

Nezone Pre Galvanized (GP) Square, Rectangular and Round pipes are manufactured from high Zinc coated galvanized steel coils, which are manufactured in-house maintaining high quality standards and also the coating of Zinc is controlled to ensure maximum resistance in corrosive environment resulting in higher life.

Pre Galvanized Pipes are primarily used for roofing structure. Highly effective in coastal regions & can withstand extreme humid weather conditions due to zinc coating which acts as a barrier between humid weather and steel.

Few Applications of GP PIPE



Bus Body
Structures



Building
Construction



General
Engineering



Fabrication



Industrial
Shed

Why Nezone GP PIPE?



Pre-coated with high zinc enhances life of pipes



100% Conforming to quality norms (IS:4923/ IS:3601)



High tensile and yield strength ensures higher load bearing capacity



In-house manufacturing from HR Coil >> GP Pipe assures highest quality standards



Made from 100% HR Coil



SQUARE HOLLOW SECTION

THICKNESS	0.80	1.00	1.20	1.40	1.60	1.80	2.00	2.20	2.50	2.80
WEIGHT	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr
SIZE (IN MM)										
15X15	0.347	0.423	0.495	0.563	0.628					
19X19	0.448	0.550	0.648	0.742	0.830	0.933	1.017	1.095	1.203	
20X20	0.473	0.582	0.687	0.785	0.882	0.992	1.133	0.000	0.000	
25X25	0.602	0.740	0.877	1.008	1.135	1.283	1.405	1.522	1.688	1.847
30X30	0.728	0.900	1.067	1.230	1.388	1.575	1.728	1.917	2.093	2.433
38X38	0.930	1.153	1.372	1.585	1.795	2.040	2.245	2.447	2.740	3.025
50X50		1.533	1.828	2.118	2.403	2.738	3.022	3.317	3.710	4.112
60X60			2.200	2.562	2.912	3.320	3.668	3.995	4.518	5.017
72X72				3.095	3.520	4.020	4.395	4.865	5.490	6.103
91X91				0.000	4.483	5.125	5.673	6.218	7.025	7.823
100X100				0.000	4.940	5.650	6.255	6.858	7.753	8.638

RECTANGULAR HOLLOW SECTION

THICKNESS	0.80	1.00	1.20	1.40	1.60	1.80	2.00	2.20	2.50	2.80
WEIGHT	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr
SIZE (IN MM)										
25X12	0.437	0.535	0.628	0.720	0.805	0.962				
40X10	0.602	0.740	0.877	1.008	1.135	1.283	1.405	1.522	1.688	1.950
40X20	0.728	0.900	1.067	1.230	1.388	1.575	1.728	1.877	2.093	2.300
50X10		0.900	1.067	1.230	1.388	1.575	1.728	1.877	2.093	2.402
50X25		1.137	1.352	1.563	1.770	2.012	2.213	2.412	2.700	2.980
60X10	0.855	1.058	1.257	1.452	1.643	1.865	2.052	2.233	2.498	2.753
60X40		1.533	1.828	2.118	2.403	2.738	3.022	3.300	3.710	4.112
75X25		1.533	1.828	2.118	2.403	2.738	3.022	3.300	3.710	
80X40			2.208	2.562	2.912	3.320	3.668	4.012	4.518	5.017
96X48				3.095	3.520	4.020	4.445	4.865	5.490	6.103
122X61					4.510	5.153	5.707	6.253	7.067	7.870

CIRCULAR HOLLOW SECTION

THICKNESS	0.80	1.00	1.20	1.40	1.60	1.80	2.00	2.20	2.50	2.80
Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr	Kg/mtr
SIZE (IN MM)										
15 NB		0.500	0.595	0.687	0.777		0.970	1.055	1.180	1.342
25.4 OD	0.485	0.602	0.715	0.828	0.938		1.153	1.258	1.412	1.560
26.0 OD	0.513	0.637	0.758	0.878	0.997		1.248	1.363	1.530	1.692
20 NB	0.513	0.637	0.758	0.878	0.997	1.133	1.248	1.363	1.530	1.692
25 NB	0.647	0.803	0.958	1.112	1.263	1.440	1.590	1.737	1.955	2.168
32 NB	0.835	1.038	1.240	1.440	1.637	1.870	2.067	2.262	2.552	2.837
40 NB		1.185	1.417	1.645	1.872	2.138	2.367	2.592	2.927	3.257
50 NB		1.477	1.765	2.053	2.338	2.673	2.960	3.245	3.668	4.088
65 NB			2.240	2.607	2.972	3.400	3.768	4.133	4.678	5.218
80 NB					3.440	0.000	4.282		5.320	5.938
100 NB					4.493	5.147	5.708		7.103	7.933